

Receiving Report

Production/Admin: 13/02/23
 Date: 13/02/23
 Received/Costing: 13/02/23
 Initial: 13/02/23

Location

Initials of receiver (if shipment OK) Level 12

Part Number	Description	Quantity	Quantity Received	Quantity Returned	Quantity Short	Comments

Discrepancies

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☒ No ☐
 Receipt: Yes ☒ No ☐
 Cash: Yes ☒ No ☐

Release Note Attached: Yes ☒ No ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☒ No ☐
 QC6 Inspection: Yes ☒ No ☐
 Work Order: Yes ☒ No ☐

Date: 13/02/23
 Supplier: M/APOSSA

Batch No: M/A7821
 Part P/O: 22362

N/A ☒
 N/A ☒
 N/A ☒
 N/A ☒

Page 1 of 1

All amounts are calculated in domestic currency.

Receipt Dates from 12/23/2013 to 12/23/2013

All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Reject Qty	Book Amt	
Vendor\ID\Vendor Name												
PO22362 CAD	1	VC-MET002	Metaux Solutions									
			M304TS0.750W .049 f	f	12/20/2013	12/23/2013	600.0000	\$3.58	0.0000	0	\$2,146.85	
	No		304 SQ Tube .75x.75x.049W	f	600.0000	DESJ02		\$2,146.85	0.0000	0		
			m127821									
	2											
			M304S16GA sf	sf	12/20/2013	12/23/2013	320.0000	\$5.43	0.0000	0	\$1,738.57	
	No		304/316 Sheet .063 sf	sf	320.0000	DESJ02		\$1,738.57	0.0000	0		
			m127821									
Total Received Quantity:										Total Received Quantity:		920.0000
Total Qty to Inspect (PO U/M):										Total Qty to Inspect (PO U/M):		0.0000
Total Reject Quantity:										Total Reject Quantity:		0.0000
Total Receipt Value:										Total Receipt Value:		\$3,885.42
Total Balance Due Quantity:										Total Balance Due Quantity:		0.0000

Shipping Order

19/12/2013

MÉTAUX SOLUTIONS INC
2625 BOUL JACQUES CARTIER EST
LONGUEUIL, QUEBEC
J4N 1L7 Tel.: 450 641-3330

Order : 92992
Reference : 22362
Ship : PICK UP / PICK UP

Customer: 6323336

Ship To

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Same

Tel.: 1 613 632-3336



Item No.	Description	Qty	Qty. Deliver	B/O Qty
SSQT34340494	304 SQ TUBE .750 X .049 WALL 30 x 20' HT, J4FO	600	<u>600</u>	<u>Ø</u>
SS162B4	304 SHEET .060 (16G) 10 x 4' x 8' HT, 500896/501096	320	<u>320</u>	<u>Ø</u>
SHIP TST COLLECT JP				

Shipping : _____

Ref. : _____

Package No : _____

Merchandise Received: _____

Manufacturer / Fabricante / Herstellerwerk: 		Type of document / Tipo de documento / Art der Prüfbescheinigung INSPECTION CERTIFICATE CERTIFICADO DE INSPECCION ABNAHMEPRÜFZEUGNIS according to / de acuerdo con / nach EN 10204-3.1		Document number / N° de certificado / Bescheinigungs-nr. 0000061716 / Page / Página / Seite: 1 / 2																																
1 ThyssenKrupp Drive; P.O. Box 13000; Calvert, AL 36513-1300		Customer/Ship to / Cliente / Besteller/Empfänger OLBERT METAL SALES LIMITED, MISSISSAUGA Customer's order number / N° de Pedido Cliente / Kundenbestellnr. TQ-9450 Manufacturer's works order no. / N° de Pedido Manufactura / Werksauftragsnr. 901158748 / 009 Delivery note no. / N° de Entrega / Lieferanzeige Nr. 85262082 / 020 Product / Producto / Erzeugnis SHEET/HOJAS/BLECH Steel grade and quality / Acero / Stahlserie und Gütegruppe TYPE 304L/304																																		
Terms of delivery / Condiciones de entrega / Lieferbedingungen ASTM A240/A240M, ASME SA-240 Sec. II Part A Ed. 2010 ASTM A480/A480M, ASME SA-480 Sec. II Part A Ed. 2010																																				
Customer's material no. / N° de material del cliente / Kundenmaterial-Nr. Product dimensions (Thickness / Width / Length) / Dimensiones (Espesor / Ancho / Largo) / Maße des Erzeugnisses (Dicke / Breite / Länge) 1.52 mm x 1,219.20 mm x 2,438.40 mm 0.0600 inch x 48.0000 inch x 96.0000 inch		Steelmaking procedure / Proceso de manufact. / Herstellung AOD		Finish / Acabado / Ausführung 11c / 2B																																
Packing No. / N° de Empaque / Paket-Nr. 6087873	No. of pieces / Piezas / Stückzahl 54	Actual weight / Peso actual / Ist-Gewicht 4,220 lb / 1,914 kg	Coil No. / Bobina No. / Band-Nr. 724916	Heat No. / Calent. / Schmelzennr. 500896	Sample Id. / N° de muestra / Proben-Id. 1000134473																															
6087874	50	3,911 lb / 1,774 kg	724916	500896	1000134473																															
6087876	54	4,239 lb / 1,923 kg	724916	500896	1000134473																															
6088840	52	4,043 lb / 1,834 kg	725452	501096	1000136415																															
Sum / Suma / Summe 210	16,413 lb / 7,445 kg																																			
Heat / Calent. / Schmelze 500896	Country of heat / País de calada / Erbschmelzungsland USA	Chemical composition / Composition Chimique / Chemische Zusammensetzung <table border="1"> <thead> <tr> <th>% C</th> <th>% Si</th> <th>% Mn</th> <th>% P</th> <th>% S</th> <th>% Cr</th> <th>% Mo</th> <th>% Ni</th> <th>% N</th> <th>% Cu</th> </tr> </thead> <tbody> <tr> <td>0.022</td> <td>0.32</td> <td>1.58</td> <td>0.031</td> <td>0.0120</td> <td>18.15</td> <td>0.24</td> <td>8.03</td> <td>0.061</td> <td>0.38</td> </tr> <tr> <td>0.026</td> <td>0.31</td> <td>1.84</td> <td>0.031</td> <td>0.0020</td> <td>18.13</td> <td>0.24</td> <td>8.07</td> <td>0.069</td> <td>0.43</td> </tr> </tbody> </table>					% C	% Si	% Mn	% P	% S	% Cr	% Mo	% Ni	% N	% Cu	0.022	0.32	1.58	0.031	0.0120	18.15	0.24	8.03	0.061	0.38	0.026	0.31	1.84	0.031	0.0020	18.13	0.24	8.07	0.069	0.43
% C	% Si	% Mn	% P	% S	% Cr	% Mo	% Ni	% N	% Cu																											
0.022	0.32	1.58	0.031	0.0120	18.15	0.24	8.03	0.061	0.38																											
0.026	0.31	1.84	0.031	0.0020	18.13	0.24	8.07	0.069	0.43																											
Sample Position / Localiz. de la muestra / Probenlage TRANSVERSE																																				
Inspection lot / Lote de inspección / Prüflot 1000134473	YS0.2% PSI / MPa 43,945 / 303	TS PSI / MPa 94,851 / 654	El. A2" % 58.8	HRB 83																																
1000134474	40,899 / 282	94,706 / 653	55.1	82																																
1000136415	42,059 / 280	92,240 / 636	58.2	82																																
1000136416	40,609 / 280	91,660 / 632	59.7	81																																
Dimensions - surface / Dimensiones - Superficie / Maße - Oberfläche: Test of identity (spectral analysis) / Control de identidad (análisis espectrográfico) / Verwechslungsprüfung (Spektralanalyse): HEAT - TREATMENT : 1920°F/AIR No weld repairs No intentional additions of Mercury compounds were made or used Free of radioactive contamination EU RoHS Directive 2011/65/EU Compliant Product manufactured in the USA																																				
Originator of the document / Originador del documento / Aussteller der Bescheinigung: Outokumpu Stainless USA, LLC An ISO 9001: 2008 certified company			The information provided is a true copy of data on file / Los valores mostrados corresponden a los datos archivados / Die gegebenen Werte entsprechen den gespeicherten Daten  Andrew Faucett Phone: +1 251 829 3492																																	
Certificate is generated automatically / Certificado es generado automáticamente / Das Zeugnis wird automatisch erstellt			Date of issue and validation / Fecha de emisión y validación / Datum Ausstellung / Bestätigung 10/18/2013																																	

160127, 160128

Manufactures / Fabricante / Herstellerwerk

outokumpu



Type of document / Tipo de documento / Art der Prüfbescheinigung

INSPECTION CERTIFICATE

CERTIFICADO DE INSPECCION
ABNAHMEPRÜFZEUGNIS
according to / de acuerdo con / nach
EN 10204-3.1

Document number / N° de certificado /
Bescheinigungsnummer

0000061716 /

Page / Página / Seite:

2 / 2

Country of Heat as per ISO 3166-1

Originator of the document / Originador del documento / Aussteller der Bescheinigung

Outokumpu Stainless USA, LLC

An ISO 9001: 2008 certified company

Certificate is generated automatically / Certificado es generado automáticamente /
Das Zeugnis wurde elektronisch erstelltThe information provided is a true copy of data on file /
Los valores mostrados corresponden a los datos archivados /
Die generierten Werte entsprechen den gespeicherten Daten

Andrew Faucett

Phone: +1 251 829 3492

Name of expert / Nombre del experto / Name des Sachverständigen

Date of issue and validation
Fecha de emisión y validación
Datum Ausstellung / Bewilligung

10/18/2013

PHOENIX TUBE COMPANY, INC.
Manufacturer of Stainless Ornamental and Structural Tubing
CERTIFICATION OF TEST

Sold To:

Ship To:

CUSTOMER ORDER#: C91016

CUST REF NBR:

DATE SHIPPED: 12/16/13

SIZE: 3/4SQ X 18 GA AW

SOURCE: USA D

VENDOR: NAS

Phone# 5492603

ORDER#: 322060

QTY SHIPPED: 1400.0

GRADE: 304

HEAT#: J4F0

TEST REPORT#: TR011271

Report Date: 08/23/13

Ext:

WELD: HF

Specification:

ASTMA554-13

ASTM-A 240 LATEST REVISION

ASTM A554 2003 SUPERSEDED

MATERIAL IS FULL SOLUTION

MIN. SOLUTION ANNEAL TEMP

T304L/304 DUAL CERTIFIED.

RAW MATERIAL SPEC.

MFG USING

ANNEALED, AND SHOWS NO

1900F WATER QUENCHED

NO WELD REPAIR

ANNEALED AND PICKLED

CONTINUOUS CARBIDE

DFARS 252.225.7008

EN 10204 2.2

NACE MR0175/01

PLATE, SHEET OR STRIP

PRECIPITATION

COMPLIANT

5/14/01/07

MERCURY IS NOT USED BY US AS AN ALLOYING MATERIAL NOR IS METALLIC MERCURY HANDLED IN THE VICINITY
OF OUR PROCESSING LINES. WE ARE NOT PRESENTLY AWARE OF ANY MERCURY CONTAMINATION.

Chemical Analysis

C	MN	P	S	SI	CR	NI	MO	CU	CO	N2	TI
.02	1.77	.03	.02	.26	18.14	8.08	.38	.45	0	.09	0

Physical Analysis

	YIELD		TENSILE		OTHER	
Hardness	PSI	MPA	PSI	MPA	Percent EL	Percent RA
RB 85	49750	0	96450	0	48	0

THE CHEMICAL ANALYSES ARE CORRECT AS CONTAINED IN OUR CORPORATE RECORDS.
PHYSICAL PROPERTIES ARE DETERMINED WHILE MATERIAL IS IN STRIP FORM.

Melted & Manufactured in the USA FAR BAA complies, DFARS BAA complies, FAR TAA complies

CERTIFIED BY Quality Control Dept.

1185 WIN DR, BETHLEHEM, PA., 18017 - (610) 865-5337

FAX NUMBER: 610-865-4073

160751



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO22362**

Purchase Order Date 12/11/2013

PO Print Date 12/11/2013

Page Number 1 of 1

Order From :

VC-MET002

Ship To : DART AEROSPACE LTD

METAUX SOLUTIONS
2625 BOUL JACQUES-CARTIER EST
LONGUEUIL, QC J4N 1L7
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
6/13/13

Contact Name

Vendor Phone

800 558 8858

Ship To Contact

Ship To Phone

Ship Via:

TST ground

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M304TS0.750W.049	304 SQ Tube .75x.75x.049W	12/20/2013 Yes 12/20/2013		600.00 f	\$3.80	\$2,280.00
MATERIAL; AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBING AS PER ASTM A554 MILL FINISH OR AS PER ASTM A269 MILL FINISH							
Line Total:							\$2,280.00
2	M304S16GA	304/316 Sheet .063	12/20/2013 Yes 12/20/2013		320.00 sf	\$5.77	\$1,846.40
MATERIAL; AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240							
Line Total:							\$1,846.40
PO Total:							\$4,126.40

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.
No substitution or deviation without consent.
Certificate of Conformity or Material Certification required - YES NO
PST# 6122-5207

Change Nbr:

1

Change Date:

12/11/2013